

APPENDIX B
REN 2022 155 TCDSB FIELD STUDY UPDATE - SUMMARY MATRIX

School Name	Type	School Address	Postal Code	Ward	Surface	Permitted (Yes/No)	Irrigated (Yes/No)	Subdrains (Yes/No)	Lighting (Yes/No)	Sport Furnishings	Primary Use	Secondary Use	Grass:Weed	Population	Size (sq.m.)	Square Meter per Student	Condition	Track and Surface	Comments
All Saints	Elementary	1435 Royal York Road	M9P 3A7	2	Natural	No	No	No	No	1- LJP	Play Area	N/A	20	768	2000	2.60	Good	N/A	1) Long jump pit in poor condition 2) Field area is multi-sloped 3) Poor drainage around perimeter of field.
Annunciation	Adult/Altern.	65 Avonwick Gate	M3A 2M8	11	Natural	No	No		No	2-SSP	Soccer	Play Area	80	335	4980	14.87	Fair	N/A	1)Swale flooding - new CB being installed, 2) Crown and goal mouths worn and undulating, 3) Concrete footing protruding in goals
Bishop Allen Academy	Secondary	721 Royal York Road	M8Y 2T3	4	Natural	Yes	Yes	Yes	No	2 - LSP	Soccer	Multi-use	0/0	1435	9520	6.63	Fair	N/A	1) Trip Hazard - Shot Put in end zone 2) Narrow/non regulation Track 3) A little barren with weeds down crown
Bishop Macdonell	Elementary	20 Brunel Court	M5V 3Y2	9	Artificial		no	Yes	Yes	N/A	Soccer	Play Area	100/0	256	140	0.55	Excellent	N/A	1) Field is in excellent condition (relatively new installation) 2) Additional infill may be required with low infill levels noted
Bishop Marrocco/Thomas Merton	Secondary	1515 Bloor Street West	M6P 1A3	4	Natural	No	No	Yes	No	2-SFC, 2-PB	Multi-Use	Play Area	100/0	690	5235	7.59	Fair	N/A	1) Minor grading and wear issues at crown
Blessed Margherita	Elementary	108 Spenvalley Drive	M3L 1Z5	3	Natural	Yes	No	Yes	No	2-LSP, 1-LP, 1BS	Soccer	Multi-use	100/0	323	9285	28.75	Good	N/A	1) Wear in goal mouths 2) Side field worn grass 3) Baseball Backstop not used 4) Long Jump not used
Blessed Pier Giorgio Frassati	Elementary	8 Seasons Drive	M1X 1X4	8	Natural	No	No	No	No	2-SSP, 1-BS	Soccer	Multi-Use	100/0	328	4255	12.97	Poor	N/A	1) Less than 10% turf cover on soccer field 2) Field is completely worn/dirt
Blessed Sacrament	Elementary	24 Bedford Park Avenue	M5M 1H9	5	Artificial	Yes	No	Yes	No	2-SSR, 2-PB	Soccer	Play Area	15/85, 60/40	493	1585	3.22	Poor	N/A	1) Field is in poor condition with major seam issues 2) Infill very low - fibres will no longer support additional infill 3) Broken soccer goal 4) Base grading required
Blessed Trinity	Elementary	3205 Bayview Avenue	M2K 1G3	5	Natural	No	No	No	No	1-BS, 2-SFC	Multi-Use	N/A	20/80	201	4290	21.34	Good	N/A	1) Goals in fair condition 2) Goal mouths worn and depressed 3) Minor undulation with isolated holes 4) Baseball backstop in fair condition with grass infield
Brebeuf College	Secondary	211 Steeles Avenue East	M2M 3Y6	5	Natural	No	No	No	No	2-SFC, 2-PB	Multi-Use	N/A	30/70	664	9360	14.10	Good	N/A	1) Track in poor condition 2) SFC in fair condition 3) Turf coverage is 80% 4) Compacted soils 5) Minor undulations 6) Major drainage issues in south endzone, entire field was wet and poorly drained
Canadian Martyrs	Elementary	520 Plains Road	M4C 2Z1	11	Natural	Yes	Yes	Yes	No	2-SFC	Soccer	Play Area	30/70	369	4640	12.57	Good	N/A	1) Goal mouths barren 2) Minor ruts/low spots
Chaminade	Secondary	490 Queen's Drive	M6L 1M8	10	Natural	Yes	Yes	Yes	No	2-LSR, 2-SSR,2SFC	Soccer	Multi-use	30/70	884	11770	13.31	Fair	N/A	1) Significant wear down middle of field 2) Non-regulation End zones 3) Site has scoreboard and bleachers in good condition.
Dante Alighieri	Secondary	60 Playfair Avenue	M6B 9P9	5	Natural	Yes?	No	No	No	2-SFC	Soccer	Football	40/60	647	22455	34.71	Excellent	N/A	1) Ruts in field from vehicle, 2) Field is holding water - Drainage required, 3) Artificial turf band (1m) at school side. 4) Tennis court has crack issues
Epiphany of Our Lord	Elementary	3150 Pharmacy Avenue	M1W 3J5	7	Natural	No	No	No	No	2-LSP, 4-SSP	Soccer	Multi-Use	40/60	151	7365	48.77	Fair	N/A	1) Goal mouths worn 2) Tire ruts on mini field 3) Copacted soils 4) Large field has significant wear and low turf coverage
Father Henry Carr	Secondary	1760 Martin Grove Road	M9V 3S4	1	Artificial	Yes	No	Yes	No	2-SFC, 2-LSR	Football	Soccer	50/50	799	6500	8.14	Good	N/A	1) Running track slopes incorrectly to the outside 2) Track lines are wearing out 3) Turf settlement observed at curb 4) Settlement and drainage issue at northwest starting block 5) Turf monofilament with sbr infill 6) fibres laying flat 7) Infill depth +/- 25mm average 8) north penalty kick dot separating 9) minor inlay separation throughout
Father John Redmond	Secondary	28 Colonel Samuel Smith Park Dr	M8V 4B7	4	Natural	Yes	Yes	Yes	No	2-SFC	Soccer	Multi-use	50/50	1125	12010	10.68	Good	N/A	1) Many Geese - An abundance of goose waste
Father Serra	Elementary	111 Sun Row Drive	M9P 3J3	2	Natural	Yes	No	No	No	2-SFC, 1-LJP	Soccer	Multi-Use	50/50	546	1375	2.52	Good	N/A	1) Wear areas in front of goals 2) Opportunity to add smaller nets for a mini-field adjacent to SFC field 3) Long jump pit in poor condition 4) Uneven field due to heaving
Francis Liberman	Secondary	4640 Finch Avenue East	M1S 4G2	8	Natural	No	No	No	No	2-SFC	Multi-Use	N/A	50/50	855	5650	6.61	Fair	N/A	1) Uneven throughout
Holy Cross	Elementary	299A Donlands Avenue	M4J 3R7	11	Natural	No	Yes	Yes	Yes	2-SSR	Multi-use	Play Area	50/50	350	2705	7.73	Poor	N/A	1) Limited Grass - very barren 2) Sheet drain to asphalt
Holy Spirit	Elementary	3530 Spirit School Road	M1T 3K7	7	Natural	No	No	No	No	2-LSP	Soccer	Multi-Use	50/50	450	7280	16.18	Good	N/A	1) Goal mouths worn
Immaculate Conception	Elementary	23 Comay Road	M6M 2K9	10	Artificial	Yes	No	Yes	No	N/A	Play Area	Soccer	50/50	506	1480	2.92	Fair	N/A	1) Monofilament fibres very matted 2) Groomed twice per year 3) Seam separation and small burn require repair 4) Infill levels 18-20mm
James Cardinal McGuian	Secondary	1440 Finch Avenue West	M3J 3G3	3	Natural	Yes	Yes	No	No	2-SFC	Soccer	Multi-use	50/50	963	11610	12.06	Good	N/A	1) Irrigation controlled by City 2) Goal mouths have limited grass
Josyf Cardinal Slipyj	Elementary	35 West Deane Park Drive	M9B 2R5	2	Natural	No	No	No	No	N/A	Play Area	N/A	50/50	515	2625	5.10	Fair	N/A	1) Heavily compacted field area 2) Many worn areas 3) Uneven ground due to heaving 4) Overgrown dirt track around field area
Loretto Abbey	Secondary	101 Mason Boulevard	M5M 3E2	5	Natural	No	No	Yes	No	1-LSP,1SSR 1-BS	Soccer	Multi-use	50/50	724	3480	4.81	Fair	N/A	1) Only 1 permanent goal 2) No baseball infield
Loretto College	Secondary	151 Rosemount Avenue	M6H 2N1	6	Natural	No	No	No	No	1-BS	Play Area	N/A	50/50	390	2205	5.65	Fair	N/A	1) Backstop in fair condition with grass infield 2) Large bare areas 3) Worn home plate and mound
Madonna	Secondary	20 Dubray Avenue	M3K 1V5	5	Natural	No	No	No	No	N/A	Play Area	Multi-use	50/50	632	3745	5.93	Good	N/A	1) Undersized for a secondary school
Marshall McLuhan	Secondary	1107 Avenue Road	M5N 3B1	5	Natural	Yes	No	Yes	No	2-LSR, 2-SFC	Soccer	Football	50/50	1043	7169	6.87	Good	N/A	1) Minor grading issues 2) Short field for football 3) A few bare spots
Mary Ward (Baseball)	Secondary	3200 Kennedy Road	M1V 3S8	7	Natural	Yes	Yes	No	Yes	1-BS, 2-PB	Baseball	N/A	50/50	999	6805	6.81	Excellent	N/A	1) Very wet and slow draining 2) Backstop in good condition with limestone infield
Mary Ward (Multi-Use Artificial)	Secondary	3200 Kennedy Road	M1V 3S8	7	Artificial	Yes	No	Yes	Yes	2-LSR, 2-FG, 2-PB, 4 Bleachers, 2-Field Hockey	Multi-Use	N/A	60/40	999	10090	10.10	Fair	N/A	1) Infill depth average 35mm 2) Considerable fiber fibrillation at goal mouths, centreline and goal lines 3) Minor inlay separation 4) Football goal sunk and not 10' to top of cross bar
Mary Ward LINC @ former St John Fisher	Secondary	44 Kelvinway Drive	M1W 1N6	7	Natural	No	No	No	No	1-BS, 1-SFC	Play Area	N/A	60/40		4500	#DIV/0!	Good	N/a	1) SFC in poor condition and only one 2) Backstop in poor condition with grass infield 3) Rutting from mower on field
Michael Power/St Joseph	Secondary	105 Eringate Drive	M9C 3Z7	2	Artificial	No	No	Yes	Yes	2-LSR, 4-SSR, 2-FG	Football	Soccer	60/40	1893	10750	5.68	Excellent	N/A	1) Fibres lying down in large areas 2) fibres in good condition no significant fibrillation observed 3) Turf worn through next to east end penalty dot 4) Inlays in good condition, no apparent separation 5) Infill +/- 24mm depth average
Monsignor Fraser Midland (OLGC)	Secondary	2900 Midland Avenue	M1S 3K8	7	Natural	No	No	No	No	2-LSP, 2-BS	Soccer	Multi-Use	60/40	626	9205	14.70	Good	N/A	1) Soccer goals in fair condition 2) Backstop in poor condition with grass infield

School Name	Type	School Address	Postal Code	Ward	Surface	Permitted (Yes/No)	Irrigated (Yes/No)	Subdrains (Yes/No)	Lighting (Yes/No)	Sport Furnishings	Primary Use	Secondary Use	Grass:Weed	Population	Size (sq.m.)	Square Meter per Student	Condition	Track and Surface	Comments
Monsignor Percy Johnson	Secondary	2170 Kipling Avenue	M9W 4K9	1	Natural	No	No	Yes	No	2-SFC	Football	Soccer	60/40	1007	10750	10.68	Excellent	N/A	1) Wear areas and depression at goal mouths 2) Combo goals are aging 3) Track is screenings with inside and outside concrete curb 3) Track includes slopes >1% in some areas
Mother Cabrini	Elementary	720 Renforth Drive	M9C 2N9	2	Natural	No	No	No	No	1-BS, 2-SFC	Soccer	Multi-Use	60/40	186	5565	29.92	Good	N/A	1) Uneven ground and >5% cross slope across field 2) Baseball backstop does not have an infield 3) Footings exposed around south goal combo post is hazardous 4) Irregular field shape
Nativity of our Lord	Elementary	35 Saffron Crescent	M9C 3T8	2	Natural	No	No	No	No	N/A	Play Area	N/A	60/40	446	1375	3.08	Poor	N/A	1) Field is heavily compacted 2) Drainage swale runs through the middle of the play area 3) Large worn out and bare areas due to compaction 4) Field is fenced and rectangular
Neil McNeil	Secondary	127 Victoria Park	M4E 3S2	12	Natural	No	Yes	*Yes	No	2-LSR, 2-FG	Multi-Use	N/A	60/40	796	8890	11.17	Excellent	N/A	1) Field drainage includes perimeter header pipe only
Our Lady of Fatima	Elementary	3176 St Clair Ave East	M1L 1V6	12	Artificial	No	No	Yes	No	2-LSP	Multi-Use	N/A	60/40	788	2620	3.32	Poor	N/A	1) Minor seam separation 2) Low/uneven areas 3) Fiber is fibrillated and laying flat 4) Infill 19mm depth 5) Backstop fencing is in fair condition
Our Lady of Grace	Elementary	121 Brimwood Boulevard	M1V 1E5	8	Natural	No	No	No	No	N/A	Play Area	N/A	60/40	227	3315	14.60	Fair	N/A	1) Adjacent to municipal park with soccer/football and track
Our Lady of Guadalupe	Elementary	3105 Don Mills Road	M2J 3C2	11	Natural	No	No	Yes	No	2-BS, 2-SFC	Soccer	Play Area	60/40	143	4770	33.36	Good	N/A	1) Low areas in goal mouths and baseball infield
Our Lady of Mount Carmel/NY Curriculum Support Unit	Secondary	270 Cherokee Boulevard	M2H 3B9	7	Natural	No	No	No	No	1-BS	Play Area	N/A	60/40		7400	#DIV/0!	Good	N/A	1) Backstop in poor condition with grass infield 2) Minor undulations
Our Lady of Perpetual Help	Elementary	1 1/2 Garfield Avenue	M4T 1E6	9	Artificial	No	No	Yes	No	N/A	Play Area	Multi-Use	60/40	349	1386	3.97	Fair	N/A	1) Monofilament with sand infill and a shock pad 2) Fibres very matted with small burn hole in field - Requires Grooming/repair
Our Lady Of Sorrows	Elementary	32 Montgomery Road	M8X 1Z4	4	Artificial	Yes	No	Yes	No	2-SSR	Soccer	Multi-Use	60/40	651	2905	4.46	Good	N/A	1) Field is 2-3 years old according to caretaker 2) Monofilament turf with shock pad 3) Turf observed to be lying down 4) Field groomed once per year according to caretaker 5) Base washing out at mid field east sideline and southwest corner 6) Heavy fibrillation of turf at goal mouths 7) Backstop fencing broken behind both goals 8) Infill +/-15mm depth average
Our Lady of the Assumption	Elementary	125 Glenmount Avenue	M6B 3C2	5	Natural	No	No	Yes	No	2-SSP	Soccer	Play Area	60/40	322	2040	6.34	Poor	N/A	1) Grass is very poor with barren areas 2) Portables encroach on small field
Our Lady of Wisdom	Elementary	10 Japonica Road	M1R 4R7	7	Natural	No	No	No	No	1-LSP, 1-LJP, 1-BS	Multi-Use	N/A	60/40	336	2625	7.81	Good	N/A	1) Backstop in good condition with grass infield 2) Goals in poor condition and only one 3) Compacted soils 4) Long jump in good condition
Prince of Peace	Elementary	255 Alton Towers Circle	M1V 4E7	8	Natural	No	No	No	No	N/A	Play Area	N/A	60/40	245	6930	28.29	Good	N/A	1) Compacted soils 2) Adjacent to municipal park with two soccer and one baseball
Saints Cosmas & Damian	Elementary	111 Danesbury Avenue	M6B 3L3	5	Natural	No	No	Yes	No	2-LSP, 1-BS	Soccer	Multi-use	60/40		5548	#DIV/0!	Good	N/A	1) Goal mouths barren 2) Minor grading issue at goal mouths
Santa Maria	Elementary	25 Avon Avenue	M6N 4X8	10	Natural	No	No	No	No	1-LJP	Play Area	N/A	60/40	179	20050	112.01	Good	N/A	1) Long jump in fair condition 2) No sport furnishings 3) Minor bare areas 4) Compacted soils
Senator O'Connor	Secondary	60 Rowena Drive	M3A 3R2	11	Natural	Yes	Yes	Yes	No	1-BS, 2-SFC	Soccer	Multi-use	60/40	1255	9800	7.81	Excellent	N/A	1) No Issues noted 2) 2nd field with baseball
Special Services (former Max Kolbe)	Secondary	100 Fundy Bay Boulevard	M1W 3G1	7	Natural	No	No	No	No	1-BS	Multi-Use	N/A	65/35		3620	#DIV/0!	Excellent	N/A	1) Baseball backstop in fair condition with grass infield 2) Depression at home plate 3) Isolated low spots along base path 4) Adjacent to public school with soccer and baseball field
St. Agatha	Elementary	49 Cathedral Bluffs Drive	M1M 2T6	12	Natural	No	No	No	No	2-LSP, 2-SSP, 1-BS	Soccer	Multi-Use	65/35	429	2380	5.55	Fair	N/A	1) Considerable wear and bare area along centerline and goal mouths 2) Goals are new 3) Backstop in poor condition with grass infield
St. Agnes	Elementary	280 Otonabee Avenue	M2M 2T2	5	Natural	No	No	No	No	2-LSP, 1-BS	Soccer	Multi-Use	70/30	261	9580	36.70	Good	N/A	1) Goals in poor condition with footings exposed 2) Worn goal mouths 3) Minor undulations 4) Baseball backstop in poor condition with grass infield
St. Aidan	Elementary	3521 Finch Avenue East	M1W 2S2	7	Natural	No	No	No	No	2-LSP, 1-BS	Soccer	Multi-Use	70/30	262	6785	25.90	Excellent	N/A	1) Goal mouths worn and depressed 2) Baseball backstop in poor condition with limestone infield overgrown with weeds 3) Minor undulations throughout
St. Albert	Elementary	1125 Midland Avenue	M1K 4H2	7	Natural	No	No	No	No	N/A	Play Area	N/A	70/30	360	5330	14.81	Good	N/A	1) Minor undulations and isolated low spots 2) Considerable slope not suitable for sport field
St. Ambrose	Elementary	20 Coules Court	M8W 2N9	4	Natural	No	No	Assumed Yes CB's noted	No	4-SSR	Soccer	Play Area	70/30	459	1050	2.29	Poor	N/A	1) Little to no grass evident 2) Told that field had been redone twice in 7 years (top soil/sod)
St. Andre	Elementary	36 Yvonne Avenue	M3L 1C9	3	Natural	No	Yes	No	No	2 - Volleyball	Play Area	Multi-use	70/30	609	4700	7.72	Good	N/A	1) Some bare spots noted
St. Andrew	Elementary	2533 Kipling Avenue	M9V 3A8	1	Natural	Yes	Yes	No	No	2-SFC, 1-BS	Football	Soccer	70/30	610	8300	13.61	Fair	N/A	1) Field has large areas of bare spots due to heavy compaction and wear 2) Low/depression areas at goal mouths
St. Anselm	Elementary	182 Bessborough Drive	M4G 4H5	11	Artificial	Yes	No	Yes	No	N/A	Play Area	Multi-use	70/30	297	60	0.20	Good	N/A	1) Small burn hole requires repair 2) Low infill levels 3) Requires grooming
St. Antoine Daniel	Elementary	160 Finch Avenue West	M2N 2J2	5	Natural	No	No	Yes	No	1-SFC, 2-BS	Soccer	Multi-use	70/30	383	5920	15.46	Good	N/A	1) Some wear at goal mouths 2) No baseball infield
St. Augustine	Elementary	98 Shoreham Drive	M3N 1S9	3	Natural	No	No	Yes	No	1-BS	Play Area	Multi-use	70/30	548	2465	4.50	Good	N/A	1) Catch basin is proud of field 2) Portables on edge of field
St. Barbara	Elementary	25 Janray Drive	M1G 1Y2	12	Natural	No	No	No	No	2-SFC	Multi-Use	N/A	70/30	292	2630	9.01	Fair	N/A	1) Goals in fair condition 2) Significant depressions and wear at goal mouths 3) Track not regulation size in fair condition 4) Field is heavily compacted
St. Barnabas	Elementary	30 Washburn Way	M1B 1H3	8	Natural	No	No	No	No	1-BS, 2-SFC	Multi-Use	N/A	70/30	277	3430	12.38	Fair	N/A	1) SFC in poor condition 2) Backstop in fair condition with grass infield 3) Basepaths depressed and drainage issue 4) Centerline is depressed and drainage issue 5) Consider goal mouth wear 6) Minor depressions throughout
St. Bartholomew	Elementary	51 Heather Road	M1S 2E2	8	Natural	No	No	No	No	2-LSP, 6-SSP, 1-BS	Soccer	Multi-Use	70/30	94	10890	115.85	Fair	N/A	1) 35% of area has 15/85 grass to weed 2) 65% of area has 60/40 grass to weed 3) Goal mouths worn 4) Overall good planarity 5) Baseball backstop in fair condition with grass infield
St. Basil the Great	Secondary	20 Stairview Lane	M9M 3B2	3	Natural	Yes	Yes	Yes	No	2-LSP, 2-SFC	Soccer	Multi-use	70/30	1184	28270	23.88	Excellent	N/A	1) Side Field soccer separate area
St. Bede	Elementary	521 Sewells Road	M1B 5H3	8	Natural	No	No	No	No	N/A	Play Area	N/A	70/30	121	2605	21.53	Fair	N/A	1) Adjacent to municipal ball diamond
St. Benedict	Elementary	2202 Kipling Avenue	M9W 4K9	1	Natural	No	No	No	No	1-BS, 1-LJP	Play Area	N/A	70/30	604	1200	1.99	Poor	N/A	1) Uneven field area with heaving 2) Fenced rectangular area 3) Compacted areas throughout field 4) Long jump pit has an uphill track and is breaking up with the sand pit breaking apart and overgrown
St. Bonaventure	Elementary	1340 Leslie Street	M3C 2K9	11	Natural	No	No	No	No	1-BS,2-PB	Multi-use	Play Area	70/30	550	2000	3.64	Good	N/A	1) Bare spots on field (5-6) 2) Track is walking path 3) Baseball infield grown in

School Name	Type	School Address	Postal Code	Ward	Surface	Permitted (Yes/No)	Irrigated (Yes/No)	Subdrains (Yes/No)	Lighting (Yes/No)	Sport Furnishings	Primary Use	Secondary Use	Grass:Weed	Population	Size (sq.m.)	Square Meter per Student	Condition	Track and Surface	Comments
St. Boniface	Elementary	20 Markanna Drive	M1M 2J1	12	Natural	No	No	No	No	1-LSP, 1-BS	Multi-Use	N/A	70/30	301	1755	5.83	Good	N/A	1) Only 1 soccer goal 2) Backstop in good condition with grass infield 3) Worn goal mouths
St. Brendan	Elementary	186 Centennial Road	M1C 1Z9	8	Natural	No	No	No	No	1-BS	Play Area	N/A	70/30	527	1725	3.27	Poor	N/A	1) Considerable amount of worn/bare areas 35% 2) Heavily compacted 3) Baseball backstop in good condition with limestone infield
St. Catherine	Elementary	30 Roanoke Road	M3A 1E9	11	Natural	No	No	No	No	2-SFC	Play Area	Soccer	70/30	255	4950	19.41	Good	N/A	1) No Issues noted
St. Charles	Elementary	50 Claver Avenue	M6B 2W1	5	Natural	No	Yes	Yes	No	1-LP, 1-BS	Multi-use	Play Area	70/30	255	2110	8.27	Good	N/A	1) Irrigation does not work 2) Long jump runway only - no pit
St. Charles Garnier	Elementary	20 Stong Court	M3N 2X9	3	Natural	No	No	No	No	2-SSP	Soccer	Play Area	70/30	430	2580	6.00	Fair	N/A	1) Medium depth ruts in field 2) Low areas holding water 3) Goal mouths worn out
St. Clement	Elementary	4319 Bloor Street West	M9C 2A2	2	Natural	No	No	Assumed Yes CB's noted	No	2-SSP, 1-BS, 1-LJP	Soccer	Multi-Use	70/30- 60/40	487	1925	3.95	Good	N/A	1) Planting/play area mulch spilling onto track creating slip hazard 2) Old goal posts rusting 3) Heavy wear areas at goal mouths 4) Compacted field 5) Long jump pit in excellent condition 6) Old baseball backstop cut off from field by track 7) Asphalt track is half repaved. Old half of track asphalt is cracking 8) Track lines are worn off
St. Columba	Elementary	10 John Tabor Trail	M1B 1M9	8	Natural	No	No	No	No	2-LSP, 1-LJP	Soccer	Multi-Use	75/25	271		0.00	Poor	N/A	1) Many bare areas 2) Heavily compacted
St. Conrad	Elementary	5 Exbury Road	M3M 0A8	5	Natural	No	No	No	No	N/A	Multi-use	N/A	75/25	600	6140	10.23	Good	N/A	1) Field drains to two swales
St. Dominic Savio	Elementary	50 Tideswell Boulevard	M1B 5X3	8	Natural	No	No	No	No	2-LSP, 1-BS	Soccer	Multi-Use	75/25	225	11605	51.58	Good	N/A	1) Goal mouths worn 2) Minor undulations 3) Baseball backstop in good condition with limestone infield overgrown with weeds
St. Dorothy	Elementary	155 John Garland Boulevard	M9V 1N7	1	Natural	No	No	No	No	1-BS, 1-LJP	Play Area	N/A	80/20	307	2700	8.79	Good	N/A	1) Long jump pit existing and buried in grass
St. Edmund Campion	Elementary	30 Highcastle Road	M1E 4N1	12	Natural	No	No	No	No	1-BS	Multi-Use	N/A	80/20	274	1590	5.80	Good	N/A	1) Heavily compacted 2) Backstop in good condition with limestone screening infield
St. Edward	Elementary	1 Botham Road	M2N 2J6	5	Natural	No	No	No	No	N/A	Play Area	N/A	80/20	343	1190	3.47	Fair	N/A	1) No sports field 2) Many bare areas
St. Elizabeth	Elementary	5 Redcar Avenue	M9B 1J8	4	Natural	No	No	No	No	N/A	Play Area	N/A	80/20	204	2400	11.76	Excellent	N/A	1) Minor uneven ground and depressions
St. Elizabeth Seton	Elementary	25 Havenview Road	M1S 3A4	8	Natural	No	No	No	No	2-LSP, 1-BS	Soccer	Multi-Use	80/20	103	2665	25.87	Good	N/A	1) Goal mouths worn and depressed 2) Considerable depression at second base 3) Baseball backstop in good condition with grass infield
St. Eugene	Elementary	30 WestRoyal Road	M9P 2C3	2	Natural	No	No	No	No	N/A	Play Area	N/A	80/20	531	1500	2.82	Good	N/A	1) Some compaction shown in field area 2) Minor depressions
St. Fidelis	Elementary	9 Bannerman Street	M6L 2S5	10	Natural	No	No	No	No	2-SFC	Play Area	N/A	80/20	605	2630	4.35	Good	N/A	1) Portables encroach on field
St. Florence	Elementary	101 Murison Boulevard	M1B 2L6	8	Natural	No	No	No	No	N/A	Play Area	N/A	80/20	169	2710	16.04	Fair	N/A	1) Many bare areas with less 70% turf coverage 2) Minor undulations
St. Francis de Sales	Elementary	333 Firgrove Crescent	M3N 1K9	3	Natural	No	No	Yes	No	2-LSP, 1-BS	Soccer	Play Area	80/20	404	4800	11.88	Poor	N/A	1) Concrete and rubble at goal mouth
St. Francis of Assisi (St Lucy)	Elementary	80 Clinton Street	M6G 2Y3	9	Natural	No	No	No	No	N/A	Play Area	N/A	80/20	112	1015	9.06	Fair	N/A	1) Bare areas - would require grading and grass for sport use
St. Francis Xavier	Elementary	53 Gracfield Avenue	M6L 1L3	10	Natural	No	yes	Yes	No	N/A	Play Area	N/A	80/20	491	2925	5.96	Fair	N/A	1) Swale-Erosion on school side caused by previous irrigation issue that has been repaired 2) Grading of field is required
St. Gabriel	Elementary	396 Spring Garden Avenue	M2N 3H5	5	Natural	No	No	Yes	No	2-BS, 2-SFC	Soccer	Multi-use	80/20	260	12230	47.04	Good	N/A	1) Three field areas 2) Some wear at goals 3) Grass at back field very good
St. Gabriel Lalemant	Elementary	160 Crow Trail	M1B 1Y3	8	Natural	No	No	No	No	2-LSP, 1-BS	Soccer	Multi-Use	80/20	131	3025	23.09	Good	N/A	1) Goal mouths worn 2) Minor undulation throughout 3) Baseball backstop in fair condition with grass infield
St. Gerald	Elementary	200 Old Sheppard Avenue	M2L 3L9	11	Natural	No	No	No	No	4-SSP, 1BS	Soccer	Play Area	85/15	268	9890	36.90	Good	N/A	1) 6-8 low spots on field coned off by school 2) Baseball backstop at bottom of crown "in a hole" 3) Wear at goals
St. Gregory	Elementary	126 Rathburn Road	M9B 2K6	2	Natural	No	No	No	No	1-SSP	Soccer	Play Area	85/15	699	500	0.72	Poor	N/A	1) Two soccer goals were purchased by parent council and only one remains due to damage to one of them 2) Middle of field is heavily compacted and worn out
St. Henry	Elementary	100 Bamburgh Circle	M1W 3R3	7	Natural	No	No	No	No	2-LSP, 2-SSP, 1-BS	Soccer	Multi-Use	90/10	251	6585	26.24	Good	N/A	1) Backstop in excellent condition with limestone base paths grown in with weeds 2) Goal mouths worn and depressed 3) Minor undulations 4) Adjacent to municipal park with two soccer fields
St. Ignatius of Loyola	Elementary	2350 McCowan Road	M1S 4B4	8	Natural	No	No	No	No	2-SFC	Multi-Use	N/A	90/10				Fair	N/A	1) Goal mouths worn 2) Grade undulates significantly
St. Isaac Jogues	Elementary	1330 Yorkmills Road	M3A 1Z8	11	Natural	No	No	No	No	2-SSP, 2BS	Soccer	Play Area	90/10	283	4800	16.96	Fair	N/A	1) Goal mouths and centre of crown worn out 2) 3-4 deep ruts in field
St. Jane Frances	Elementary	2745 Jane Street	M3L 2E8	3	Natural	Yes	No	No	No	N/A	Play Area	N/A	90/10	681	3295	4.84	Fair	N/A	1) Worn and undulating 2) "Gets Very Muddy"
St. Jean de Brebeuf	Elementary	101 Dean Park Road	M1B 2X2	8	Natural	No	No	No	No	1-BS	Play Area	N/A	90/10	177	14950	84.46	Good	N/A	1) Minor undulations with one considerable at second base 2) Baeball backstop in fair condition with limestone infield
St. Jerome	Elementary	11 Sharpecroft Boulevard	M3J 1P5	5	Natural	No	No	No	No	2-LSP, 1-LP	Soccer	Multi-use	90/10	592	5015	8.47	Fair	N/S	1) Portables encroaching 2) Wearing down middle of field 3) No grass at goal mouths 4) Drainage required at bottom of slope
St. Joachim	Elementary	3395 St Clair Avenue East	M1L 1W3	12	Natural	No	No	No	No	2-LSP	Soccer	Multi-Use	90/10	286	1000	3.50	Poor	No	1) Soccer goals are new 2) Field has less than 30% turf cover
St. Joan of Arc	Secondary	959 Midland Avenue	M1K 4G4	7	Natural	No	No	No	No	2-SFC	Multi-Use	N/A	90/10	791	11885	15.03	Excellent	No Track	1) Minor goal mouth wear
St. John Henry Newman	Secondary	100 Brimley Road South	M1M 3X4	12	Natural	No	No	Yes	No	1BS, 2SFC	Multi-use	N/A	90/10	924	38230	41.37	Good	Yes/Asphalt	1) Backstop in poor condition
St. John Paul II	Secondary	685 Military Trail	M1E 4P6	12	Natural	Yes	Yes	Yes	No	1-LSR, 1-LJP, 2-SFC	Soccer	Multi-Use	90/10	1303	9460	7.26	Excellent	Yes/Asphalt	1) SFC in good condition 2) Goal mouths worn 3) Long jump in poor condition 4) Only 1 LSR 5) Minor compaction and bare areas at centerline 6) Appears to be a sand/soil mix 7) Track is in good condition
St. John Vianney	Elementary	105 Thistledown Boulevard	M9V 1J5	1	Natural	Yes	No	No	No	2-LSP, 2-BS, 1-LJP	Soccer	Multi-Use	90/10	329	3480	10.58	Excellent	Yes/Asphalt	1) Long jump pit timbers rotting 2) Minor depressions in field area 3) Turf condition fair where baseball infields used to be 4) Wear and depression at goal mouths 5) Low area/depression in home plate area of north backstop
St. Joseph Morrow Park	Secondary	3379 Bayview Avenue	M2M 3S4	11	Natural	No	No	Yes	No	2-LSP	Soccer	Multi-use	90/10	484	3150	6.51	Good	Yes/Asphalt	1) No Issues noted
St. Kateri Tekakwitha	Elementary	70 Margaret Avenue	M2J 4C5	11	Natural	No	No	No	No	N/A	Play Area	N/A	90/10	181	3040	16.80	Good	Yes/Asphalt	1) No sports field 2) Very small corner of grass 3) City field adjacent

School Name	Type	School Address	Postal Code	Ward	Surface	Permitted (Yes/No)	Irrigated (Yes/No)	Subdrains (Yes/No)	Lighting (Yes/No)	Sport Furnishings	Primary Use	Secondary Use	Grass:Weed	Population	Size (sq.m.)	Square Meter per Student	Condition	Track and Surface	Comments
St. Kevin	Elementary	15 Murray Glen Drive	M1R 3J6	7	Natural	No	No	No	No	1-LJP, 1-LSP	Play Area	N/A	90/10	228	2695	11.82	Good	Yes/Asphalt	1) Track not regulation and in poor condition 2) Only 1 soccer goal in poor condition with exposed footings 3) Goal mouths worn 4) Minor undulations throughout 5) LJP is sand only, no runway, in poor condition
St. Leo	Elementary	165 Stanley Avenue	M8V 1P1	4	Natural	No	No	No	No	4-SSR	Play Area	N/A	90/10	337	3120	9.26	Good	Yes/Asphalt	1) Portables encroaching on the track 3) A few bare spots
St. Leonard	Elementary	100 Ravel Road	M2H 1T1	11	Natural	No	Yes	No	No	N/A	Multi-Use	N/A	90/10		9800	#DIV/0!	Good	Yes/Asphalt	1) Grading has undulations
St. Malachy	Elementary	80 Bennett Road	M1E 3Y3	8	Natural	No	No	No	No	2-LSP, 1-BS	Soccer	Multi-Use	90/10	252	18420	73.10	Poor	Yes/Asphalt	1) Considerable amount of worn/bare areas 65% 2) Track in poor condition 3) Exposed goal footings 4) Baseball backstop in poor condition with grass infield
St. Marcellus	Elementary	15 Denfield Street	M9R 3H2	2	Natural	No	No	No	No	2-LSP, 1-BS, 6-PB, 1-LJP	Multi-Use	N/A	90/10	401	2500	6.23	Poor	Yes/Asphalt	1) Long jump in poor condition 2) Large bare areas throughout soccer field area 3) Baseball infield is lower than surrounding field and creates drainage issue s 4) Field area is uneven and heaving
St. Martha	Elementary	1865 Sheppard Avenue West	M3L 1Y5	5	Natural	No	No	No	No	1-LP	Multi-use	N/A	90/10	223	2500	11.21	Good	Yes/Asphalt	1) No issues noted
St. Martin de Porres	Elementary	230 Morning Side Avenue	M1E 3E1	12	Natural	No	No	No	No	1-BS, 2-SFC	Multi-Use	N/A	90/10	408	5960	14.61	Poor	Yes/Asphalt	1) Goals in fair condition 2) Worn goal mouths 3) Less than 50% turf coverage in many areas 4) Heavily compacted soils 5) Backstop is in fair condition with grass infield 6) Minor undulations throughout
St. Matthias	Elementary	101 Van Horne Avenue	M2J 2S8	11	Natural	No	No	No	No	1LSP, 1BS, 1SFC	Soccer	Multi-use	90/10	264	5760	21.82	Good	Yes/Asphalt	1) No issues noted
St. Maurice	Elementary	45 Kingsview Boulevard	M9R 1T7	1	Natural	No	No	No	No	1-BS	Multi-Use	N/A	90/10	274	990	3.61	Excellent	Yes/Asphalt	1) Baseball backstop with small dirt area (not an infield) 2) Minor depressions throughout field
St. Maxamilliam Kolbe	Secondary	100 Fundy Bay Boulevard	M1W 3G1	7	Natural	No	No	No	No	1-BS	Multi-Use	N/A	90/10	1	3780	3780.00	Excellent	Yes/Asphalt	1) Baseball backstop in fair condition with grass infield 2) Depression at home plate 3) Isolated low spots along base paths 4) Adjacent to public school lwht soccer and baseball field
St. Mother Teresa Academy	Secondary	40 Sewells Road	M1B 3G5	8	Natural	No	No	No	No	2-LSP	Soccer	Multi-Use	90/10	455		0.00	Good	Yes/Asphalt	1) Goal mouths worn
St. Nicholas	Elementary	33 Amarillo Drive	M1J 2P7	7	Natural	No	No	No	No	N/A	Play Area	N/A	95/05	391	2855	7.30	Good	Yes/Asphalt	1) No sport furnishings 2) Compacted soils 3) Minor undulations and depressions
St. Paschal Baylon	Elementary	15 Paschal Court	M2M 1X6	5	Natural	No	No	Yes	No	2-SSP	Soccer	Play Area	95/05	712	4780	6.71	Good	Yes/Asphalt	1) No concerns noted
St. Patrick	Secondary	46 Felstead Avenue	M4J 1G3	6	Artificial	Yes	No	Yes	Yes	8LSR, 4SSR	Soccer	Multi-use	95/05	858	8060	9.39	Excellent	Yes/Asphalt	1) Monofilament field laying down a little 2) Infill levels good (35mm)
St. Raymond/St. Bruno	Elementary	402 Melita Crescent	M6G 3X6	9	Natural	No	Yes	Yes	No	BS, 2PB	Multi-Use	N/A	95/5	166	2200	13.25	Good	Yes/Asphalt	1) Irrigation not used regularly 2) Moss in baseball infield
St. René Goupil	Elementary	44 Port Royal Trail	M1V 2G8	8	Natural	No	No	No	No	2-LSP	Soccer	Multi-Use	95/5	42	1680	40.00	Excellent	Yes/Asphalt	1) No concerns noted
St. Richard	Elementary	960 Bellamy Road North	M1H 1H1	12	Natural	No	No	No	No	2-LSP, 1-LJP	Soccer	Multi-Use	95/5	360	4295	11.93	Fair	Yes/Asphalt	1) Goals in good condition 2) Goal mouths worn 3) Path worn across field 4) Considerable undulations 5) Compacted soils 6) Long jump in poor condition
St. Robert	Elementary	70 Bainbridge Avenue	M3H 2K2	5	Natural	No	No	Yes	No	2-SSP	Soccer	Play Area	95/5	608	3070	5.05	Poor	Yes/Asphalt	1) Little to no grass on soccer pitch
St. Roch	Elementary	174 Duncanwoods Drive	M9L 2E3	3	Natural	No	Yes	Yes	No	2-LSP, 2-BS	Soccer	Multi-use	95/5	338	5980	17.69	Fair	Yes/Asphalt	1) Irrigation not functional 2) Goal mouths very worn 3) Track has cracking
St. Simon	Elementary	24 Strathburn Boulevard	M9M 2K3	3	Natural	No	No	No	No	2-LSP, 2BS	Soccer	Multi-use	Artificial	501	13600	27.15	Fair	Yes/Asphalt	1) Partial city park 2) Geese issue 3) Goal mouths worn (city)
St. Stephen	Elementary	55 Golfdown Drive	M9W 2H8	1	Natural	No	No	No	No	2-SSP	Soccer	Play Area	Artificial	339	1250	3.69	Good	Yes/Asphalt	1) Uneven field due to heaving 2) Wear areas at goal mouths 3) MH lid in middle of field with rubber surface on top. Rubber is beginning to wear off and MH is a trip hazard.
St. Sylvester	Elementary	260 Silver Springs Boulevard	M1V 1S4	7	Natural	No	No	No	No	2-LSP	Soccer	Multi-Use	Artificial	143	3475	24.30	Excellent	Yes/Asphalt	1) Adjacent to municipal park with soccer and baseball 2) Goals in fair condition 3) Goal mouths worn and depressed 4) Penalty dots worn and depressed
St. Theresa Shrine	Elementary	2665 Kingston Road	M1M 1M2	12	Natural	No	No	No	No	N/A	Play Area	N/A	Artificial	231	810	3.51	Good	Yes/Asphalt	1) No sport furnishings 2) Small bare area under trees 3) Compacted soils 4) Very small area
St. Thomas Aquinas	Elementary	636 Glenholme Avenue	M6E 3G9	9	Natural	No	Yes	Yes	No	2-LSP	Soccer	Play Area	Artificial	438	2850	6.51	Fair	Yes/Cinder	1) Worn goal mouths 2) Minor undulations 3) Irrigation not working
St. Thomas More	Elementary	2300 Ellesmere Road	M1G 3M7	12	Natural	No	No	No	No	2-BS, 1-SFC	Multi-Use	N/A	Artificial	309	5845	18.92	Good	Yes/Cinder	1) Goals in poor condition 2) Backstops in fair condition with grass infield 3) Goal mouths worn and depressed
St. Timothy	Elementary	25 Rochelle Crescent	M2J 1Y3	11	Natural	No	No	Yes	No	2SSP	Soccer	Play Area	Artificial	570	11600	20.35	Good	Yes/Cinder	1) Wear at goal mouths
St. Ursula	Elementary	215 Livingston Road	M1E 1L8	12	Natural	No	No	No	No	2-LSP	Soccer	Multi-Use	Artificial	226	5540	24.51	Good	Yes/Cinder	1) Adjacent to public school with soccer field 2) Track is in fair condition 3) Gaos in fair condition with concrete footings exposed 4) Worn goal mouths
St. Victor	Elementary	20 Bernadine Street	M1P 4M2	7	Natural	No	No	No	No	2-LSP, 1-LJP	Soccer	Multi-Use	Artificial	326	7505	23.02	Good	Yes/Cinder	1) Goals in poor condition and concrete footings exposed 2) Goal mouths worn 3) Minor undulations throughout 4) Long jump in good condition
St. Wilfrid	Elementary	1685 Finch Avenue West	M3J 2G8	3	Natural	No	No	No	No	2-LSP, 1-LP	Soccer	Play Area	Artificial	582	3865	6.64	Poor	Yes/Cinder	1) Exposed concrete goal footings
The Divine Infant	Elementary	30 Ingleton Boulevard	M1V 3H7	8	Natural	No	No	No	No	N/A	Play Area	N/A	Artificial	101	2875	28.47	Good	Yes/Cinder	1) No issues noted
The Holy Trinity	Elementary	6 Colonel Samuel Smith Park Drive	M8V 4B7	4	Natural	No	No	Yes	No	N/A	Play Area	N/A	N/A	537	1050	1.96	Poor	Yes/Cinder	1) Very worn - limited grass - Closed often due to mud
Transfiguration	Elementary	55 Ludstone Drive	M9R 2J2	2	Natural	No	No	No	No	N/A	Play Area	N/A	N/A	378	1800	4.76	Poor	Yes/Synthetic	1) Uneven throughout 2) Soil heavily compacted
Venerable John Merlini	Elementary	123 Whitfield Avenue	M9L 1G9	3	Natural	No	No	No	No	N/A	Play Area	N/A	N/A	262	4710	17.98	Good	Yes/Synthetic	1) Large hole in field 2) City field adjacent is also used